

ferri s13-2.js

```

(function(){var c=void 0,g=!0,l=null,m!=1,n,p=this,aa=function(a){var b=typeof a;if("object"==b)if(a){if(a instanceof Array) return"array";if(a instanceof Obj ect) return b;var d=Obj ect.prototype.toStri ng.cal l(a);if("[obj ect Wi ndow]"==d) return"obj ect";if("[obj ect Array]"==d||"number"==typeof a.length&&"undefined"!=typeof a.spl i ce&&"undefined"!=typeof a.propertyIsEnumerable&&!a.propertyIsEnumerable("spl i ce")) return"array";if("[obj ect Functi on]"==d||"undefined"!=typeof a.cal l&&"undefined"!=typeof a.propertyIsEnumerable&&!a.propertyIsEnumerable("cal l")) return"function";else return"null";if("function"==b&&"undefined"==typeof a.cal l) return"obj ect";return b},r="cl osure_ua "+(1E9*Math. random()>>>0),ba=0,ca=function(a,b,d){return a.cal l.appl y(a.bind,arguments)},da=function(a,b,d){if(!a) throw Error();if(2<arguments.length){var e=Array.prototype.spl i ce.cal l(arguments,2);return function(){var d=Array.prototype.spl i ce.cal l(arguments);Array.prototype.unshif t.appl y(d,e);return a.appl y(b,d)}}return function(){return a.appl y(b,arguments)}},u=function(a,b,d){u=Function.prototype.bind&&-1!=Function.prototype.bind.toStri ng().index0f("native code")?ca:da;return u.appl y(l,arguments)},ea=function(a,b){var d=Array.prototype.spl i ce.cal l(arguments,1);return function(){var b=Array.prototype.spl i ce.cal l(arguments);b.unshif t.appl y(b,d);return a.appl y(thi s,b)}},fa=function(){var a=["googl e","doodl e","j esr"],b=p;!(a[0]in b)&&b.execScript&&b.execScript("var "+a[0]);for(var d;a.l engt h&&(d=a.shi ft());){var e;if(e!=a.l engt h)e=g;e?b[d]=g:b[b[d]]?b[d]:b[d]={}}},w=function(a,b){function d(){d.prototype=b.prototype;a.ra=b.prototype;a.prototype=new d};Function.prototype.bind=Function.prototype.bind||function(a,b){if(1<arguments.l engt h){var d=Array.prototype.spl i ce.cal l(arguments,1);d.unshif t(thi s,a);return u.appl y(l,d)}}return u(thi s,a)};var ga=0<navigator.userAgent.index0f("MSIE"),ha=function(a,b){for(var d=1;d<arguments.l engt h;d+=2){var e=arguments[d],f=arguments[d+1],h=a.style;h&&in h?h[e]=f:e in a?a[e]=f:ga&&(h&&"opacity"==e)&&(a.zoom=1,e=(h.filter||"").replace(/\alpha\([^\)]*\)\//,""),isNaN(parseFloat(f))||(e+="alpha(opacity="+100*f+"))),ia=[ "Moz","ms","0","webkit"],ja=[ "",moz,"ms","o","webkit"],ka=function(a){var b=document;if(!b) return l;for(var d=0;d<j a.l engt h;d++){var e=j a[d],f=a;0<e.l engt h&&(f=a.charAt(0).toUpperCase()+a.substr(1));e+=f;if("undefined"!=typeof b[e]) return e}return l},la=function(){for(var a=[ "requestAni mati onFrame","mozRequestAni mati onFrame","msRequestAni mati onFrame","oRequestAni mati onFrame","webkitRequestAni mati onFrame"],b=0;b<a.l engt h;b++) var d=wi ndow[a[b]];if(d) return u(d,wi ndow)}return function(a){wi ndow.setTimeout(a,17)}},ma=function(a){ma=la();return ma(a)};var na=function(a){Error.captureStackTrace?Error.captureStackTrace(this,na):this.stack=Error.stack||"";a&&(this.message=String(a));w(na,Error)};var oa=function(a,b){for(var d=1;d<arguments.l engt h;d++){var e=String(arguments[d]).replace(/^\$/g,"$$$$");a=a.replace(/^\%s/,e)}return a};var pa=function(a,b){b.unshif t(a);na.cal l(thi s,oa.appl y(l,b));b.shi ft();w(pa,na)};var qa=function(a,b,d){if(!a){var e=Array.prototype.spl i ce.cal l(arguments,2),f="Assertion failed";if(b) var h=e;throw new pa(""+f,h||[]);}};var ra=Array.prototype,sa=ra.index0f?function(a,b,d){qa(a.l engt h!=l);return ra.index0f.cal l(a,b,d)}:function(a,b,d){d=d==l?0:0>d?Math. max(0,a.l engt h+d):d;if("string"==typeof a) return"string"!=typeof b||!b.l engt h?-1:a.l engt h0?function(a,b,d){qa(a.l engt h!=l);ra.forEach.cal l(a,b,d)}:function(a,b,d){for(var e=a.l engt h,f="string"==typeof a?a.spl i t(""):[],h=0;h<e;h++) h in f&&b.cal l(d,f[h],h,a)};var ua=function(){},ua.prototype.ta=function(){thi s.Ua|| (thi s.Ua=g,thi s.M())};ua.prototype.M=function(){if(thi s.W) for(;thi s.W.l engt h;) thi s.W.shi ft()};var va=function(a){a&&"function"==typeof a.ta&&a.ta()};var x,wa,xa,ya,za=function(){return p.navigator?p.navigator.userAgent:l};ya=xa=wa=x=m;var Aa;if(Aa=z a()){var Ba=p.navigator;x=0==Aa.index0f("Opera");wa!=x&&-1!=Aa.index0f("MSIE");xa!=x&&-1!=Aa.index0f("WebKit");ya!=x&&xa&&"Gecko"==Ba.product}var Ca=x,y=wa,Da=ya,Ea=xa,Fa=function(){var a=p.document;return a?a.documentElement:c},Ga;a:{var Ha="";l a;if(Ca&&p.opera) var Ja=p.opera.version,Ha="function"==typeof

```

ferri s13-2.js

```

Ja?Ja(): Ja; el se
i f(Da?I a=/rv\:[(\^\); ]+)(\)|; )/: y?I a=/MSI E\s+([\^\); ]+)(\)|; )/: Ea&&(I a=/WebKit \/(\\
S+)/, I a)var Ka=I a. exec(za()), Ha=Ka?Ka[1]: ""; i f(y){var
La=Fa(); i f(La>parseFloat(Ha)){Ga=String(La); break a}}Ga=Ha}
var Ma=Ga, Na={}, z=function(a){var b; i f(! (b=Na[a])){b=0; for(var
d=String(Ma). replace(/[^\\s\\xa0]+|[\s\\xa0]+$/g, ""). split("."), e=String(a). replace
(/[^\\s\\xa0]+|[\s\\xa0]+$/g, ""). split("."), f=Math. max(d. length, e. length), h=0; 0==b&
&h<f; h++)}{var
k=d[h]|| "", s=e[h]|| "", q=RegExp("(\\d*)(\\D*)", "g"), H=RegExp("(\\d*)(\\D*)", "g");
do{var
t=q. exec(k)|| ["", "", ""], v=H. exec(s)|| ["", "", ""]; i f(0==t[0]. length&&0==v[0]. lengt
h)break; b=(0==t[1]. length?0: parseInt(t[1], 10))<(0==v[1]. length?0: parseInt(v[1],
10))-1: (0==t[1]. length?
0: parseInt(t[1], 10))>(0==v[1]. length?0: parseInt(v[1], 10))?1: 0)|| ((0==t[2]. length
)<(0==v[2]. length)?-1: (0==t[2]. length)>(0==v[2]. length)?1: 0)|| (t[2]<v[2]?-1: t[2]
>v[2]?1: 0)}while(0==b)}b=Na[a]=0<=b}return
b}, Oa=p. document, Pa!=Oa|| !y?c: Fa()|| ("CSS1Compat"==Oa. compatMode?parseInt(Ma, 10)
: 5); var Qa=function(a){Qa[" "](a); return a}; Qa[" "]=function(){};
var Ra; i f(! (Ra!=! y))Ra=y&&9<=Pa; var
Sa=Ra, Ta=y&&! z("9"); ! Ea| | z("528"); Da&&z("1. 9b")| | y&&z("8")| | Ca&&z("9. 5")| | Ea&&z(
"528"); Da&&! z("8")| | y&&z("9"); var
Ua=function(a, b){this. type=a; this. currentTarget=this. target=b}; n=Ua. prototype; n.
M=function(){}; n. ta=function(){}; n. ka=m; n. defaultPrevented=m; n. stopPropagation=f
unction(){this. ka=g}; n. preventDefault=functi on(){this. defaultPrevented=g}; var
A=functi on(a, b){a&&this. init(a, b)}; w(A, Ua); n=A. prototype; n. target=l; n. relatedTar
get=l; n. offsetX=0; n. offsetY=0; n. clientX=0; n. clientY=0; n. screenX=0; n. screenY=0; n.
button=0; n. keyCode=0; n. charCode=0; n. ctrlKey=m; n. altKey=m; n. shiftKey=m; n. metaKey=
m; n. Y=l;
n. init=functi on(a, b){var
d=this. type=a. type; Ua. call(this, d); this. target=a. target|| a. srcElement; this. curre
ntTarget=b; var e=a. relatedTarget; i f(e){i f(Da){var
f; a: {try{Qa(e. nodeName); f=g; break
a}catch(h){}f=m}f||(e=l)}}el se"mouseover"==d?e=a. fromElement: "mouseout"==d&&(e=a
. toElement); this. relatedTarget=e; this. offsetX=Ea| | a. offsetX!=c?a. offsetX: a. laye
rX; this. offsetY=Ea| | a. offsetY!=c?a. offsetY: a. layerY; this. clientX=a. clientX!=c?
a. clientX: a. pageX; this. clientY=a. clientY!=c?a. clientY: a. pageY; this. screenX=
a. screenX| | 0; this. screenY=a. screenY| | 0; this. button=a. button; this. keyCode=a. keyCo
de| | 0; this. charCode=a. charCode| | ("keypress"==d?a. keyCode: 0); this. ctrlKey=a. ctrlK
ey; this. altKey=a. altKey; this. shiftKey=a. shiftKey; this. metaKey=a. metaKey; this. sta
te=a. state; this. Y=a; a. defaultPrevented&&this. preventDefault(); del ete
this. ka}; n. stopPropagation=functi on(){A. ra. stopPropagation. call(this); this. Y. sto
pPropagation=functi on(): this. Y. cancelBubble=g};
n. preventDefault=functi on(){A. ra. preventDefault. call(this); var
a=this. Y; i f(a. preventDefault)a. preventDefault(); el se
i f(a. returnValue=m, Ta)try{i f(a. ctrlKey| | 112<=a. keyCode&&123>=a. keyCode)a. keyCode
=-1}catch(b){}; n. M=function(){}; var Va=0; var
Wa=function(){}; n=Wa. prototype; n. key=0; n. J=m; n. ga=m; n. init=functi on(a, b, d, e, f, h)
{i f("functi on"==aa(a))this. Sa=g; el se
i f(a&&a. handleEvent&&"functi on"==aa(a. handleEvent))this. Sa=m; el se throw
Error("Inval id Listener
argument"); this. L=a; this. Ma=b; this. src=d; this. type=e; this. capture=!! f; this. La=h;
this. ga=m; this. key=++Va; this. J=m}; n. handleEvent=functi on(a){return
this. Sa?this. L. call(this. La| | this. src, a): this. L. handleEvent. call(this. L, a)}; var
Xa={}, B={}, C={}, D={}, Ya=function(a, b, d, e, f){i f("array"==aa(b)){for(var
h=0; h<b. length; h++)Ya(a, b[h], d, e, f); return l}a: {i f(! b)throw Error("Inval id event
type"); e=!! e; var k=B; b. in k||(k[b]={C: 0, D: 0}); k=k[b]; e. in
k||(k[e]={C: 0, D: 0}, k. C++); var
k=k[e], h=a[r]| | (a[r]==++ba), s: k. D++; i f(k[h]) {s=k[h]; for(var
q=0; q<s. length; q++)i f(k=s[q], k. L==d&&k. La==f){i f(k. J)break; s[q]. ga=m; a=s[q]; brea
k a}}el se s=k[h]=[], k. C++; q=Za(); k=new
Wa; k. init(d, q, a, b, e, f); k. ga=m; q. src=a; q. L=k; s. push(k); C[h]| | (C[h]=[]); C[h]. push(
k);
a. addEventListener?(a==p|| ! a. Za)&&a. addEventListener(b, q, e): a. attachEvent(b
in
D?D[b]: D[b]=="on"+b, q); a=k; b=a. key; Xa[b]=a; return b}, Za=functi on(){var
a=$a, b=Sa?functi on(d){return
a. call(b. src, b. L, d)}: functi on(d){d=a. call(b. src, b. L, d); i f(! d)return d}; return
b}, bb=functi on(a){var b=Xa[a]; i f(! b| | b. J)return m; var
d=b. src, e=b. type, f=b. Ma, h=b. capture; d. removeEventListener?(d==p|| ! d. Za)&&d. remov
}

```


ferri s13-2.j s

```

8, -203, -209, -216, -226, -237, -262, -270, -281, -296, -316, -337, -352, -365, -393, -410, -42
4, -439, -453, -468, -480, -489, -497, -501, -505, -510, -516, -523, -529, -535, -538, -540, -54
2, -542, -542, -542, -541, -540, -540, -540, -540, -540, -541, -541, -541, -541, -541, -541, -541, -54
1, -541, -542, -542, -542, -541, -541, -541, -541, -541, -541, -541, -541, -540], mb=[583
, 579, 574, 569, 563, 556,
548, 542, 535, 527, 520, 513, 506, 498, 490, 486, 483, 480, 477, 475, 473, 473, 473, 474, 475, 477, 480,
484, 487, 491, 494, 498, 502, 505, 509, 512, 515, 517, 519, 519, 515, 509, 503, 496, 489, 485, 482,
478, 475, 473, 471, 470, 471, 473, 478, 483, 488, 494, 499, 505, 510, 513, 515, 516, 516, 515, 512,
509, 506, 502, 499, 495, 491, 486, 482, 478, 475, 474, 474, 477, 481, 487, 492, 498, 503, 509, 515,
521, 526, 532, 538, 544, 549, 555, 561, 567, 572, 576, 580, 583, 586], nb=[[112, 107, 102, 96, 92, 9
1, 90, 90, 90, 90, 90, 90, 91, 91, 92, 94, 96, 98, 101, 105, 108, 111, 112, 113, 114, 115, 1
15, 116, 117, 118, 119, 121,
123, 126, 129, 134, 139, 143, 145, 146, 146, 145, 144, 143, 141, 138, 135, 131, 127, 123, 120, 118,
117, 116, 115, 114, 112, 110, 107, 103, 100, 97, 94, 93, 91, 90, 90, 90, 90, 91, 92, 94, 97, 101, 105,
110, 112, 113, 114, 115, 116, 116, 116, 116, 116, 116, 116, 116, 116, 116, 116, 116, 117, 121, 125, 130,
135, 140], ob=[2, 2, 2, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 9, 8, 8, 7, 7, 6, 6, 5, 4, 3, 3, 2, 1, 0, 0, 0, 0, 0, 1, 2
, 2, 3, 3, 4, 5, 6, 7, 8, 0, 0, 0, 1, 2, 3, 4, 5, 5, 6, 7, 9, 0, 0, 0, 0, 9, 8, 7, 6, 5, 5, 4, 3, 2, 1, 0, 0, 0, 0, 0, 8, 7
, 6, 5, 5, 5, 3, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 2, 2, 2, 2, 2];
i b. prototype. update=functi on(a){0<this s. U?this s. U=Math. max(0, thi s. U-a): (thi s. I+=th
i s. H*a, 0>this s. H?56=>this s. I&&(this s. H=0, thi s. U=2): (thi s. H=127=>this s. I?thi s. H+120*a
: Math. max(15, 0, 9*this s. H), 147<=this s. I&&(this s. H=15, thi s. U=2)), ha(this s. Xa, "top", Ma
th. fl oor(this s. I)+"px")); i f(0<this s. ba)thi s. ba=Math. max(0, thi s. ba-a); el se{for(var
b=j b. l engh-1, d=this s. Ja, e=0; e<d. l engh; e++)d[e]=Math. mi n(b, d[e]+a*this s. ca), l (thi
s. Wa[e], 1, pb(l b, d[e])*Math. PI /180, pb(j b, d[e]), pb(kb, d[e])); thi s. ca+=2*a; i f(d[0]>
=b){for(e=0; e<d. l engh; e++)d[e]=
thi s. Aa[e]; thi s. ca=8; thi s. ba=4}; i f(0<this s. da)thi s. da=Math. max(0, thi s. da-a); el se{
b=mb. l engh-1; for(d=0; d<thi s. B. l engh; d++)thi s. B[d]+=19*a; var
f=Math. max(0, Math. mi n(b, thi s. B[d])), e=pb(mb, f), h=pb(nb, f), f=ob[Math. fl oor(f)]; M(
thi s. ya[d]); N(thi s. ya[d][f]); G(thi s. ya[d][f], e, h)}i f(thi s. B[thi s. B. l engh-1]>=b)
{for(d=0; d<thi s. B. l engh; d++)thi s. B[d]=thi s. za[d]; thi s. da=2}}}; var
pb=functi on(a, b){var d=Math. fl oor(b), e=Math. cei l (b); return
d==e?a[d]: a[d]+(b-d)/(e-d)*(a[e]-a[d])}; var sb=functi on(a, b, d, e){var
f=R; thi s. I a=a; thi s. Ga=b; thi s. ja=d; thi s. G=document. createElement("di v"); ha(thi s. G
, "cursor", "poi nter"); f. insertBefore(thi s. G, thi s. I a); thi s. G.appendChi ld(thi s. I a);
thi s. G.appendChi ld(thi s. Ga); thi s. G.appendChi ld(thi s. ja); thi s. Oa=thi s. Ha=m; J(thi s
. G, "mousedown", u(functi on(){qb(thi s. g)}, thi s)); J(document, "mouseup", u(functi on()
{qb(thi s. m)}, thi s)); J(thi s. G, "mouseover", u(functi on(){thi s. Ha=g; rb(thi s)}, thi s));
J(thi s. G, "mouseout", u(functi on(){thi s. Ha=m; rb(thi s)}, thi s)); thi s. Oa=e; rb(thi s)}
', qb=functi on(a, b){a. Oa=b; rb(a); b&&a. Oa&&a. Oa()}, rb=functi on(a){a. Oa?(L(a. I a), N(a.
Ga), L(a. ja)): (N(a. I a), L(a. Ga), a. Ha)?N(a. ja): L(a. ja))}; var
tb=functi on(a){thi s. qa=a; thi s. P=g; thi s. w=0; thi s. ma=1; thi s. Pa=3}; tb. prototype. upd
ate=functi on(a){swi tch(thi s. Pa){case 1: thi s. P&&ub(thi s. 2); break; case
2: N(thi s. qa[Math. fl oor(thi s. w)]); thi s. w+=0. 5; thi s. w>=thi s. qa. l engh&&ub(thi s. 3);
break; case 3: thi s. ma-=a; (0>thi s. ma||!thi s. P)&&ub(thi s. 4); break; case
4: L(thi s. qa[Math. fl oor(thi s. w)]), thi s. w+=0. 5, thi s. w>=thi s. qa. l engh&&ub(thi s. 1)}
}; var ub=functi on(a, b){a. Pa=b; swi tch(b){case 2: a. w=0; break; case
3: a. ma=1; break; case 4: a. w=0}}}; var
vb=functi on(a, b, d, e){thi s. ua=a; thi s. wa=0; thi s. $=[0, 0, 0]; thi s. xa=0; thi s. s=b; thi s.
aa=d; thi s. A=e; for(a=0; a<e. l engh; a++)G(e[a], 265+10*a, 70); thi s. F=l ; thi s. k=0; thi s.
va=-1; thi s. z=[]; thi s. T=[]; thi s. O=[]; thi s. V=[]}, wb=[100, 100, 100, 100, 99. 2, 98. 4, 97.
6, 96. 8, 96. 95. 2, 93. 6, 92. 90. 4, 88. 8, 87. 2, 85. 6, 83. 2, 80. 8, 78. 4, 76, 73. 6, 71. 2, 68, 65. 6, 6
2. 4, 59. 2, 56, 52. 8, 48. 8], xb=[0. 3, 0. 3, 0. 3, 0. 3, 0. 31, 0. 32, 0. 33, 0. 34, 0. 36, 0. 37, 0. 39, 0.
41, 0. 43, 0. 46, 0. 48, 0. 51, 0. 54, 0. 57, 0. 61, 0. 64, 0. 68, 0. 71, 0. 75, 0. 79, 0. 82, 0. 86, 0. 91, 0.
95, 1, 0. 82, 0. 84, 0. 86,
0. 88, 0. 9, 0. 92, 0. 94, 0. 96, 0. 98, 1, 0. 97, 0. 95, 0. 93, 0. 91, 0. 89, 0. 87, 0. 85, 0. 83, 0. 83, 0. 85
, 0. 87, 0. 89, 0. 9, 0. 92, 0. 94, 0. 96, 0. 98, 1, 0. 97, 0. 95, 0. 93, 0. 91, 0. 89, 0. 87, 0. 84, 0. 82, 0. 8
4, 0. 86, 0. 88, 0. 9, 0. 91, 0. 93, 0. 95, 0. 97, 0. 99], yb=[0, 0, 0, 0. 02, 0. 03, 0. 06, 0. 08, 0. 12, 0. 1
5, 0. 19, 0. 24, 0. 29, 0. 35, 0. 41, 0. 48, 0. 55, 0. 63, 0. 71, 0. 79, 0. 88, 0. 98, 0. 9, 0. 79, 0. 67, 0. 55
, 0. 42, 0. 28, 0. 14, 0], zb=[0, 0, 0, 0. 01, 0. 02, 0. 03, 0. 05, 0. 07, 0. 09, 0. 12, 0. 15, 0. 18, 0. 22, 0
. 25, 0. 3, 0. 34, 0. 39, 0. 44, 0. 49, 0. 55, 0. 61, 0. 67, 0. 74, 0. 81, 0. 88, 0. 96, 1], Ab=[230, 330, 43
0], Bb=functi on(a, b, d,
e, f){var
h=S; h. z.push([a, b]); h. T.push(d); h. s[0]. appendChi ld(a); G(a, P(a)-P(h. s[0]), 0(a)-0(
h. s[0])); f|| (h. s[1]. appendChi ld(b), G(b, P(b)-P(h. s[1]), 0(b)-0(h. s[1]))); h. O. push(
e); h. k=h. z. l engh-1; f&&(h. va=h. k)}, Cb=functi on(){for(var
a=S, b=0; b<a. v. l engh; b++)hb(a. v[b]); a. v=[]; for(b=0; b<a. z. l engh; b++)M(a. z[b]), M(
a. T[b]), M(a. O[b]); L(a. ua); M(a. A); M(a. aa); M(a. s)};
```

ferri s13-2.js

```

vb.prototype.update=function(a){if(this.F!=1){0==this.F&&0(this.aa);for(var
b=0;b<this.aa.length;b++){var
d=this.aa[b],e=5*b+Math.floor(this.F);I(d,xb[e],0);ha(d,"opacity",0==b?zb[e]:yb[e],"top",wb[e]+"px")}this.F+=30*a;this.F>xb.length&&(this.F=1)}>this.xa&&Db(this,
Math.min(1,this.xa+5*a));9<this.wa&&(b=this.wa-800*a,9<b?Eb(this,b):(Eb(this,9),
M(this.z[this.k]),M(this.T[this.k]),M(this.s)));for(b=0;b<this.0[this.k].length;b++)26<this.$[b]&&(d=b,e=Math.max(26,this.$[b]-800*a),this.$[d]=e,this.0[this.k][d].style.top=
e+"px");}
var Gb=function(a){var
b=S,d=Fb(b)==b;va;b.k=Fb(b);if(d)Db(b,0),N(b.z[b.k][0]),N(b.s[0]),b.v.push(K(u(function(){0(this.T[this.k])},b),400)),b.v.push(K(u(function(){N(this.z[this.k][1]),b),1500));else{Db(b,0);0(b.z[b.k]);0(b.s);b.v.push(K(u(function(){0(this.T[this.k]),b),400))};for(var
e=0;e<b.A.length/2;e++)b.v.push(K(u(function(a){N(this.A[a]);N(this.A[this.A.length-1-a]),b,e),400+80*e});b.v.push(K(u(function(){this.F=0},b,e),720));for(e=0;e<b.A.length/2;e++)b.v.push(K(u(function(a){L(this.A[a]);L(this.A[this.A.length-1-a]),b,e),400+80*(7+e)}));b.v.push(K(u(function(){Eb(this,205);N(this.ua)},b,d=0;d<b.length;d++)){var
e=d,s=Ab[d];this.$[e]=s;this.0[this.k][e].style.top=s+"px"}0(b);a()),b),d?3500:4
E3)}},Fb=function(a){return
a.k+1<a.z.length?a.k+1:0},Db=function(a,b){a.xa=b;I(a.s[0],b,0);I(a.s[1],b,0)},E
b=function(a,b){a.wa=b;a.ua.style.top=b+"px"};var
T=function(a,b,d){this.Ka=a;this.$a=b;this.ab=d;this.ha=this.fa=this.Ea=m;this.D
a=(new
Date).getTime();this.bb=ka("hidden");if(this.Na=(this.Fa=ka("visibleState")))?
this.Fa.replace(/state$/i,"change").toLowerCase():I)a=new
F,b=ea(va,a),this.W||(this.W=[]),this.W.push(u(b,c)),a.listen(document,this.Na,u
(this.cb,this));Hb(this);w(T,ua);T.prototype.M=function(){window.clearTimeout(t
his.oa);T.ra.M.call(this)};
T.prototype.fb=function(){this.oa=I;(this.fa=(new
Date).getTime()-this.Da)>=this.Ka||Hb(this);Ib(this);Jb(this);var
Ib=function(a){var
b=a.Ea||a.fa;a.ha&&!b?(a.ha=m,a.ab(),Hb(a)):!a.ha&&b&&(a.ha=g,a.$a());T.prototype.cb=functi
on(){var
a=document[this.Fa];(this.Ea=document[this.bb]||"hidden"==a)?Ib(this):Jb(this);
var
Hb=function(a){a.oa&&window.clearTimeout(a.oa);var
b=Math.max(100,a.Ka-(new
Date).getTime()-a.Da));a.oa=window.setTimeout(u(a.fb,a),b)},Jb=function(a){a.Da=
(new Date).getTime();a.fa=m,Ib(a)};var
Kb=function(a,b){var
d=window.google;d&&d.doodle&&(b&&(d.doodle.cpDestroy=b),d.doodle.cplinit=functi
on(){b&&b();a()}),Lb=function(a,b,d){var
e=window.google;if(e){var
f=e.msg,h=function(){var
a=f&&f.unlisten;a&&(a(67,h),d&&a(94,d));b();return
g},k=functi
on(){var
a=document.getElementById("hlogo");if(a&&"hidden"!=a.style.visibility){var
a=e.psy,b=f&&f.listen;a&&(a.querySelector(b(67,h),d&&b(94,d))});k();if(!e.doodl
e.jesr)fa(),e.rein&&e.dstr&&(e.rein.push(k,a),e.dstr.push(h))};var
Mb=function(a){this.eb=a;this.N=m;this.Ta=[];this.Q=new
Image};Mb.prototype.S=functi
on(){if(!this.Q.src){var
a=u(function(){if(!this.N){this.N=g;for(var
a=0,d=this.Ta[a];a++)(d)}},this);this.Q.onload=a;this.Q.src=this.eb;(this.Q.comple
te||"complete"==this.Q.readyState)&&a());var
Nb=function(a,b){a.N?b():a.Ta.push(b)};var
Ob=function(a,b,d){this.Va=a;this.Ia=b;this.a=d||I;this.Z=new
Mb(a);this.N=m;Nb(this.Z,u(function(){this.N=g},this));Ob.prototype.d=functi
on(){return
this.Z.Q};Ob.prototype.S=functi
on(a){a&&Nb(this.Z,a);this.Z.S()};var
U=new
Ob("/logos/2013/ferri s/ferri s-animal s2.png",[[0,518,172,126],[175,518,173,126],[175,389,173,126],[176,129,172,128],[553,0,172,127],[0,129,173,127],[258,1124,173,126],[351,518,173,126],[0,0,174,126],[553,357,172,126],[434,1124,172,126],[351,389,172,126],[0,389,172,126],[263,0,172,126],[351,129,172,126],[82,738,550,126],[0,995,550,126],[81,867,550,125],[0,260,550,126],[553,228,172,126],[0,1124,172,126],[553,493,172,126],[598,139,22,5],[381,647,76,85],[635,832,43,9],[553,622,62,59],[635,1042,35,5],[618,622,80,75],[438,0,26,6],[635,952,70,87],[635,821,21,8],[635,1060,79,79],[553,486,26,4],[175,1124,80,88],[635,1050,24,7],[83,647,66,87],[211,0,21,7],[152,647,79,88],[177,0,31,7],[635,738,79,80],[526,129,8,7],[308,647,70,72],[553,139,42,14],[234,647,71,85],[635,942,8,7],[0,738,79,83],[438,9,7,6],[0,647,80,77],[681,832,7,7],[635,844,79,95],[553,130,30,6],[0,867,78,80],[235,0,25,5],[553,156,61,69]],{Ib:0,mb:1,nb:2,ob:3,pb:4,qb:5,rb:6,tb:7,ub:8,vb:9,wb:10,xb:11,yb:12,zb
}}
```

ferri s13-2. js

ferri s13-2.js

ferri s13-2.js

```

f=thi s. o+2*e*Math. PI /d, h=60*Math. cos(f), f=60*Math. si n(f)+b; thi s. ea[e]+=2*a*Math.
PI /2. 5; i (thi s. Ba[e], 1, 0. 1*Math. sin(thi s. ea[e]),
h, f)}i f(thi s. V<Yb[0]. l engh){b=Math. fl oor(thi s. V); for(d=0; d<thi s. Ca. l engh; d++)h
a(thi s. Ca[d], "opaci ty", b<Yb[d]. l engh?Yb[d][b]: 1); thi s. V+=30*a}}; var
R=I , ac=m, bc=g, cc=l , X=l , Y=l , Z=l , dc=l , $=0, ec=l , fc=l , gc=l , hc=0, i c=2*Math. PI /8, j
c=0, kc=functi on(){j c--; 0>j c&&(R. styl e. vi si bi li ty="")}, mc=functi on(){var
a=dc; new sb(a. d(71), a. d(72), a. d(70), functi on(){var
a=googl e. doodl e; a&&a. url &&(a=a. url , googl e. nav&&googl e. nav. go?googl e. nav. go(a): wi
ndow. parent?wi ndow. parent. l ocati on. repl ace(a): wi ndow. l ocati on. repl ace(a))}); var
b=new
sb(a. d(1), a. d(2), a. d(0), functi on(){l c(1)}); J(document, "keydown", functi on(){Jb(X)
}); J(document, "mousemove", functi on(){Jb(X)}); J(document,
"mousedown", functi on(){Jb(X)}); J(R, "keydown", functi on(a){i f(32==a. keyCode)a. prev
entDefaul t(), qb(b, g); el se
i f(27==a. keyCode&&(2==|$|3==$))a. preventDefaul t(), a. stopPropagati on(), l c(0)}); J(
R, "keyup", functi on(a){32==a. keyCode&&(a. preventDefaul t(), qb(b, m))}); ha(a. d(46), "cursor",
"pointer"); J(a. d(46), "mousedown", functi on(){l c(0)}}, nc=functi on(){var
a=dc, b=[], d=functi on(a, d, e, s, q, H){b. spl i ce(Math. fl oor(Math. random()*(d+1-a))+a, 0
, [e, s, q, H]); d(0, b. l engh, a. g[78][0], a. d(108), [a. g[77][0], a. d(107)], [a. d(47),
a. d(48), a. d(49)]}; d(0, b. l engh, a. g[78][1], a. d(102), [a. g[77][1], a. d(101)], [a. d(50),
a. d(51), a. d(52)]}; d(0, b. l engh, a. g[80][0], a. d(98), [a. g[79][0], a. d(97)], [a. d(53),
a. d(54), a. d(55)]}; d(0, b. l engh, a. d(82), a. d(106), [a. d(81), a. d(105)], [a. d(63)]);
d(0, b. l engh, a. d(86), a. d(94), [a. d(85), a. d(93)], [a. d(64)]); d(0, b. l engh, a. d(88),
a. g[104][0], [a. d(87), a. g[103][0]], [a. d(65)]); d(3, b. l engh, a. g[80][1], a. d(100),
[a. g[79][1], a. d(99)], [a. d(56), a. d(57), a. d(58)]); d(3, b. l engh, a. d(84), a. d(96),
[a. d(83), a. d(95)], [a. d(59)],
a. d(60), a. d(61)]); d(3, b. l engh, a. d(92), a. g[104][1], [a. d(91), a. g[103][1]], [a. d(66),
a. d(67), a. d(68)]); var
e=a. d(90); d(b. l engh-2, b. l engh, e, a. d(76), [a. d(89)], [a. d(62)]); for(a=0; a<b. l engt
h; a++)Bb(b[a][0], b[a][1], b[a][2], b[a][3], b[a][0]==e); Cb(), l c=functi on(a){i f(! (a
==$| |1==a&&0! ==$&&3! ==$)){var b=$; $=a; swi tch(a){case 0: Cb(); Wb(Y); Wb(Z); break;
case 1: R. ti tl e=""; Vb(2==b| 3==b); Cb(); hc=(hc+i c)% (2*Math. PI ); fc. P=m; gc. P=m; U. N?oc(): (Zb(Y),
Zb(Z)); break; case 2: Gb(functi on(){l c(3)}); break; case 3: fc. P=g, gc. P=g}}}, oc=functi on(){$b(Y, hc); var
a=2*Math. PI -hc; Fb(S)==S. va&&(a+=2*Math. PI /16); $b(Z, a)}, pc=functi on(){i f(ac){i f(!
(0<j c)){var a=new
Date, b=Math. mi n(0. 1, (a-cc)/1E3); cc=a; fc. update(b); gc. update(b); Y. update(b); Z. upd
ate(b); S. update(b); ec. update(b); 1===$&&(0==Y. K&&0==Z. K)&&l c(2)}ma(pc)}el se
bc=g, qc=functi on(){ac=m}, rc=functi on(){bc?(ac=g, bc=m, cc=new Date, pc()): ac=g};
(function(a, b, d){var
e=functi on(){Lb(a, b, d); Kb(a, b); a()}, f=wi ndow. googl e; f&&f. x?f. x({i d: "DOODLE"}, e):
e()})(functi on(){i f(R=document. getElementByI d("hpl ogo")){R. i nnerHTML=""; R. styl e.
vi si bi li ty="hi dden"; j c=2; V. S(kc); W. S(kc); U. S(functi on(){1===$&&oc()}); Ub=$=0; X=ne
w T(3E4, qc, rc); var a=dc=new
Tb; a. h[148]=8; a. h[186]=8; a. h[188]=6; a. h[205]=2; a. h[204]=2; a. h[203]=2; a. h[202]=2;
a. h[201]=2; a. h[200]=2; a. h[199]=2; a. h[198]=2; a. h[197]=2; a. h[196]=2; a. h[78]=2; a. h[
77]=2; a. h[80]=2; a. h[79]=2; a. h[104]=2; a. h[103]=2; a. h[74]=
3; a. h[75]=10; a. l oad(); L(a. d(110)); L(a. d(109)); ec=new
i b(a. d(190), a. g[188], [[a. g[205][0], a. g[196][0], a. g[197][0], a. g[198][0], a. g[199][
0], a. g[200][0], a. g[201][0], a. g[202][0], a. g[203][0], a. g[204][0]], [a. g[205][1], a. g
[196][1], a. g[197][1], a. g[198][1], a. g[199][1], a. g[200][1], a. g[201][1], a. g[202][1],
a. g[203][1], a. g[204][1]]]; Y=new
Xb(0, a. d(147), a. g[148], [[a. d(143), a. d(139), a. d(135), a. d(131), a. d(127), a. d(123),
a. d(119), a. d(115)], [a. d(142), a. d(138), a. d(134), a. d(130), a. d(126), a. d(122), a. d(118),
a. d(114)], [a. d(141),
a. d(137), a. d(133), a. d(129), a. d(125), a. d(121), a. d(117), a. d(113)], [a. d(140), a. d(13
6), a. d(132), a. d(128), a. d(124), a. d(120), a. d(116), a. d(112)], [a. d(146)], [a. d(145)],
[a. d(144)], 170, 19], Y=R=1. 1; Z=new
Xb(0, a. d(185), a. g[186], [[a. d(181), a. d(177), a. d(173), a. d(169), a. d(165), a. d(161),
a. d(157), a. d(153)], [a. d(180), a. d(176), a. d(172), a. d(168), a. d(164), a. d(160), a. d(156),
a. d(152)], [a. d(179), a. d(175), a. d(171), a. d(167), a. d(163), a. d(159), a. d(155), a. d(
151)], [a. d(178), a. d(174), a. d(170), a. d(166), a. d(162), a. d(158), a. d(154),
a. d(150)], [a. d(184)], [a. d(183)], [a. d(182)], 331, 19], Z, R=-0. 9; fc=new
tb([a. d(3), a. d(4), a. d(5), a. d(6), a. d(7), a. d(8), a. d(9), a. d(10), a. d(11), a. d(12), a. d(
13), a. d(14), a. d(15), a. d(16), a. d(17), a. d(18), a. d(19), a. d(20), a. d(21), a. d(22)]); g
c=new
tb([a. d(24), a. d(25), a. d(26), a. d(27), a. d(28), a. d(29), a. d(30), a. d(31), a. d(32), a. d(
33), a. d(34), a. d(35), a. d(36), a. d(37), a. d(38), a. d(39), a. d(40), a. d(41), a. d(42), a. d(
43)], Pge p

```

```
ferri s13-2.js
43]); var b=a.d(69), d=a.d(46); b.appendChild(d); G(d, P(d)-P(b), Q(d)-Q(b)); S=new
vb(b, [a.d(109), a.d(110)], a.g[74],
a.g[75]); nc(); mc(); rc()); }, function() {ac=m; if(fb!=l){var
a=fb; ta(a.X, bb); a.X.length=0}for(var b in
gb)hb(parseInt(b, 10)); X!=l&&X.ta()); })();
```